





AIR DRYER				
	ALPAR#	REF	Application	Description / Tech Data
	H-28251	432 410 102 0	MAN - 81 52102 6023 NEOPLAN - 110273400 STEYR - 99100 360471 LIEBHERR - 5026 56508 EVO-BUS - 8 285 407 000 STEYR- 5 260 31 2055 01 0	CUT-OUT PRESSURE : 8.1 BAR OPERATING RANGE : 0.6 BAR HEATING : WITH PORTS 1, 21, 22 = M22 / 22 = M12 4 = M12
	H-28260	432 410 020 0	NEOPLAN -110275100	CUT-OUT PRESSURE :9.5 BAR OPERATING RANGE :0.7BAR HEATING :WITH PORTS 1,21=M22 22=M12X1,5
	H-28261	432 410 021 0	IVECO -4212 5015 IVECO -4207 9686 IVECO -4207 9685 IVECO -4207 9684	CUT-OUT PRESSURE :9.5 BAR PORTS :1,21=M22 22=M12
	H-28262	432 410 034 0	IVECO -0816 0471 IVECO -0816 0467 IVECO -0816 0465	CUT-OUT PRESSURE: 12.5 BAR HEATING : WITH PORTS :1,21=M22 22=M12
	H-28263	432 410 042 0	MERCEDES -000 431 94 15	CUT-OUT PRESSURE :8.5 BAR HEATING : WITH PORT THREADS :1,21=M22 X1,5 VOSS 22=M12X1,5 VOSS
	H-28264	432 410 110 0 432 410 112 0	MAN -81 52102 6061 MAN -81 52102 6058 MAN -81 52102 6055 MAN -81 52102 6047 MAN -81 52102 6046	CUT-OUT PRESSURE: 12.5 BAR HEATING : WITH PORTS :1,21=M22 22=M12
	H-28252	432 410 020 2	H-28252 for ALL	AIR DRYER CARTDRIDGE H-28252 / RH THREAD H-28253 / LH THREAD
	H-28253	R950011 109994	H-28253 for LH Thread	
	H-28254	432 420 000 0	DAF - 1505972 MAN - 88 52102 6007 FAUN - 9970 7004741 IVECO - 4253 0780 NEOPLAN - 11017448 MERCEDES - 000 431 36 15	<b>AIR DRYER</b> CUT-OUT PRESSURE : 13 BAR UNLOADER : WITHOUT HEATING : M27 X 1 OPERATING VOLTAGE : 24V PORT THREADS : 1, 21 = M22 X 1,5 4,22 =M12 X 1,5
	H-28251-3			HEATER ELEMENT 24 VOLT-100 WATT
	H-28251-4			Connector for H-28251
	ALPAR#	REF	Application	Description / Tech Data
	H-28255	932 400 002 0	DAF - 1505119 MERCEDES - 000 430 13 15	CUT-OUT PRESSURE : 12 BAR OPERATING RANGE : 1,5 BAR HEATING: WITH PORT THREADS : 11,21 = M 22 12= M 12 22,24= M 16 VOSS



	H-28256	AD-9 AIR DRYER	AD-9 AIR DRYER	
	H-28257	AD9-2	AD-9 AIR DRYER CARTRIDGE	
	H-28258	432 413 002 0 R955205	AIR DRYER AMERICAN	
	H-28259	432 431 191 0	AIR DRYER Double Canister	
	H-28265	LA 6200		<b>AIR DRYER</b> CUT-OUT PRESSURE :8.1 BAR TEMP RANGE: -40C`+65C HEATING : WITHOUT OPERATION VOLTAGE : 24 PORTS :1,21=M22 22=M12
	<b>ALPAR#</b>	<b>REF</b>	<b>Application</b>	<b>Description / Tech Data</b>
	H-28266 H-28267	ZB4515 ZB4511	MERCEDES - 001 431 65 15 MERCEDES - 001 431 64 15	CUT-OUT PRESSURE : 12.3 BAR OPERATING RANGE : 1.5 BAR LIMIT: 1,2/10 BAR 3/ 8,5 BAR OPEN / CLOSE PRESSURE : 1,2 = 9/7 BAR 3,4=7,5 / 4,5 BAR PORT THREADS: 1,11, 21 = M22 X 1,5 22 = M 16 X 1,5 VOSS NG8 12=M12X1,5 22,24=M16X1,5 VOSS
	H-28268	LA9000 LA9010	MERCEDES DAF	CUT-OUT PRESSURE : 12.3 BAR OPERATING RANGE : 1.5 BAR LIMIT: 1,2/10 BAR 3/ 8,5 BAR OPEN / CLOSE PRESSURE : 1,2 = 9/7 BAR 3,4=7,5 / 4,5 BAR PORT THREADS: 1,11, 21 = M22 X 1,5 22 = M 16 X 1,5 VOSS NG8 12=M12X1,5 22,24=M16X1,5 VOSS
	H-28270	932 500 003 0	BENZ 693 420 78 71	CUT-OUT PRESSURE : 10 BAR OPERATING RANGE :0,7 BAR LIMIT: 1,2 = 10 BAR 3,4 = 8,5 BAR OPEN / CLOSE PRESSURE : 1,2 = 9/7 BAR 3,4=7,5 / 4,5 BAR PORT THREADS : 11,21=M22X1,5 12=M12X1,5 22,24=M16X1,5 VOSS
	H-28271	932 500 007 0	DAF 1505230 BENZ 001 431 79 15	CUT-OUT PRESSURE : 12 BAR OPERATING RANGE :1.5 BAR LIMIT: 1,2 = 10 BAR 3,4 = 8,5 BAR OPEN / CLOSE PRESSURE : 1,2 = 9/7 BAR 3,4=7,5 / 4,5 BAR PORT THREADS : 11,21=M22X1,5 12=M12X1,5 22,24=M16X1,5 VOSS



	H-28927 H-28928 H-28929 H-28930	432 407 060 0 432 407 070 0 432 407 012 0	1-Bigger Size Clip on 2-Screw on 3-Clip on 4-Clamp on	<b>SILENCER</b> SPECIFICATION: <69DB@10 BAR MAX PRESSURE 11 BAR
--	--	---	--	--

**UNLOADER VALVE**




	ALPAR#	REF	Application	Description / Tech Data
	H-28300	975 300 013 0	DAF -100587 IKARUS -1614 594 NEOPLAN -1102441544303 MERCEDES -001 431 29 06	<b>UNLOADER VALVE</b> CUT-OUT PRESSURE : 7.3 BAR OPERATING RANGE : 0.6 BAR PORT THREA : 1,24 = M22 X 1,5 TYRE INFLATOR1-2 : NO
	H-28301	975 300 110 0	VOLVO - 6789355 IVECO - 0251 6892 IKARUS - 1612 026 MAN - 81 52101 6076 NEOPLAN - 11024355443/08 MERCEDES - 001 431 00 06	<b>UNLOADER VALVE</b> CUT-OUT PRESSURE : 8.1 BAR OPERATING RANGE : 0.6 BAR PORT THREADS: 1, 21 = M22 X 1,5 TYRE INFLATION 1-2 : AVAILABLE
	H-28304	975 303 060 0	DAF -658098 IKARUS -6778243 NEOPLAN -9P902811 MERCEDES -11024415443/03	<b>UNLOADER VALVE</b> CUT-OUT PRESSURE : 8.1 BAR OPERATING RANGE : 0.6 BAR PORT THREADS: 1, 21 = M22 X 1,5 22 = M12 X 1,5 TYRE INFLATOR1-2 : NO

	ALPAR#	REF	Application	DESCRIPTION Tech Data
	H-28302	DR 3500		<b>UNLOADER VALVE</b> MAX PRESSURE : 1.2 MPA CUT-OUT PRESSURE : 8,1BAR OPENING PRESSURE : 4MPA / 600 KPA W/TH TYRE INFATOR





	H-28303 H-28304	975 303 473 0 975 303 474 0	IVECO - 0251 6892 VOLVO - 6789355 MAN - 81 52101 6076 STEYR - 791 00 36 00 70 RENAULT-VI - 5000243947 NEOPLAN - 11027335441/38 MERCEDES - 002 431 34 06	<b>UNLOADER VALVE</b> CUT-OUT PRESSURE : 8.1 BAR OPERATING RANGE : 0.6 BAR PORT THREADS:1, 21 = M22 X 1,5 22 = M12 X 1,5 TYRE INFLATION Port 1-2
--	--------------------	--------------------------------	---	---

	ALPAR#	REF	Application	Description / Tech Data
	H-28310	973 011 024 0		Max operating pressure: 13 bar Ports: 1- 1/2"-14 NPT / 2- 3/8"-18 NPTF 3- Flap / 4- 1/4"-18 NPTF
	H-28311	973 011 001 0	MAN - 81 52116 6070 MERCEDES - 004 429 38 44	OPERATING PRESSURE : 8BAR PORT THREADS :1,2=M22 X 1,5 VOSS 4=M216X 1,5VOSS
	H-28312	973 011 000 0	VOLVO 3173150 MAN 81 25150 60 11 NEOPLAN 112231500 MERCEDES 000 429 30 44	OPERATING PRESSURE : 13BAR PORT THREADS : 1,2=M22 X 1,5 4=M16 X 1,5
	H-28313	973 011 200 0	DAF 1259856-1504965 MAN 81 52116 6071 RENAULT-VI 5010206016 MERCEDES 004 429 76 44 RL3518ZE-B	Overload protection relay valve OPERATING PRESSURE : 10BAR PORT THREADS :1,2=M22 X 1,5 VOSS 41,42=M16 X 1,5 VOSS
	H-28314	973 011 205 0	DAF 1302103-1506488 IVECO 5429 1044	Overload protection relay valve W/silencer



			RENAULT-VI 5010207451 MERCEDES 005 429 10 44 RL3518ZE	OPERATING PRESSURE : 10BAR 1,2=M22 X 1,5 41,42=M16 X 1,5 VOSS- for push-in fittings
	H-28315	973 011 201 0	3518 019 020 0	Overload protection relay valve with check valve Port 1, 2 = M 22x1.5 Voss, others M 16x1.5 Voss
	H-28316	973 001 010 0	DAF -0522545 VOLVO -348909 FAUN -1614 101 SCHMITZ -050318 DEUTZ -02077426 IVECO -0244 4906 NEOPLAN -110242100 MERCEDES -000 429 65 44	<b>RELAY VALVE</b> OPERATING PRESSURE : 8BAR TEMPERATURE RANGE:-40C ~ +80C PORT THREADS : 1,2,4=M22 X 1,5
	H-28317	973 001 020 0	DAF -1325332 VOLVO -6886834 FAUN -1614 106 IVECO -0446 4164 NEOPLAN -112230700 RENAULT-VI -5000243949 MERCEDES -000 429 30 44	<b>RELAY VALVE</b> OPERATING PRESSURE :10BAR TEMPERATURE RANGE:-40C ~ +80C PORT THREADS :1=M22 X 1,5 2,4=M16 X 1,5
	<b>H-28318</b>	RE1105/1110		









**FOOT BRAKE VALVE**

	ALPAR #	REF	OEM REF	DESCRIPTION
	H-28475	461 315 248 0		MAX. OPERATING PRESSURE: 10 BAR 0.3 BAR FIXED ALL 22X1.5
	H-28476	461 315 258 0		MAX. OPERATING PRESSURE: 10 BAR 0.4 BAR FIXED ALL 22X1.5
	H-28477	461 319 271 0		MAX. OPERATING PRESS: 10 BAR 0.4 BAR FIXED RATIO: 2:1 4x M 22x1.5
	H-28478	461 319 250 0		0.4 BAR FIXED RATIO: 1.25:1 4x M 22x1.5
	ALPAR #	REF	OEM REF	DESCRIPTION
	H-28479	461 319 260 0		MAX. OPERATING PRESSURE: 10 BAR NOMINAL DIAMETER: 10 0.4 BAR FIXED RATIO: 1.5:1 4x M 22x1.5



	H-28480	461 319 008 0	DAF - 15118067 STEYR - 79200 360280 MERCEDES - 002 431 06 05	OPERATING PRESSURE : 10 BAR PREDOMINANCE : 0.3 BAR EXHAUST TEMPERATURE RANGE : - 40C°. +100C° PORT THREADS : 8 X M16 X 1.5 CONTROL PORT : 2 X M12 X 1.5
	H-28481	461 315 264 0	DAF - 1518065 MERCEDES - 004 431 46 05	<b>FOOT BRAKE VALVE</b> OPERATING PRESSURE : 13 BAR NORMINAL DIAMETER : 10 MM PREDOMINANCE : 0.5 BAR EXHAUST : FILTER TEMPERATURE RANGE : - 40C°. +100C° PORT THREADS : 4 X M22 X 1.5 VOSS
	H-28483	461 307 479 0	DAF - 503366 VOLVO - 1696150 - 6642318 IVECO - 0296 5367 IVECO - 0298 2457 MAN - 81 52130 6031 - 6048	OPERATING RESSURE : 8 BAR NOMINAL DIAMETER : 12 MM PREDOMINANCE : 0.25 BAR EXHAUST : FILAP PORT THREADS : 8 X M22 X 1.5
	H-28485	461 307 439 0	MERCEDES - 001 431 93 05	OPERATING PRESSURE : 8 BAR NORMINAL DIAMETER : 12 MM PREDOMINANCE : 0.25 BAR EXHAUST : FILAP PORT THREADS : 8 X M16 X 1.5
	H-28482	461 307 200 0	DIMETAL - 640 130 6 MAN - 88 52320 6230 NEOPLAN - 110240300 MERCEDES - 001 431 38 05	OPERATING RESSURE : 8 BAR PREDOMINANCE : 0.25 BAR EXHAUST : FILAP PORT THREADS : 8 X M22 X 1.5 PEDAL ANGLE : 35
	H-28484	894 260 049 2		PEDAL ANGLE 35 DEG. 0,25 BAR FIXED ACTROS ALL M16X1.5
	H-28486	461 491 102 0		0,25 BAR FIXED STROKE: 36 MM MAX. OPERATING PRESSURE: 8 BAR ALL M22X1.5
<b>ALPAR #                      REF                      OEM REF                      DESCRIPTION</b>				
	H-28487	470 012 000 0		0,25 BAR FIXED M16x1.5
	H-28490	461 324 010 0		MAX. OPERATING PRESSURE: 10BAR NOMINAL DIAMETER: 10 0 BAR FIXED PEDAL ANGLE: 25° 4x M 16x1.5 2x M 12x1.5 2x M 12x1.5
	H-28491	461 324 016 0		MAX. OPERATING PRESSURE: 10BAR NOMINAL DIAMETER: 10 0.3 BAR FIXED PEDAL ANGLE: 30° 4x M 16x1.5 2x M 12x1.5 2x M 12x1.5



	H-28492	MB 4690		0,2 BAR FIXED 8x M16 3x M12
	H-28493	DX 95 B		M16 x 1.5
	H-28494	DX 75 BA		M16 x 1.5
	H-28496	DX 75 BAY		
	H-28497	286171 E-6		Ports All 3/8"
	H-28498	277863		
	H-28499	461 319 274 0		
	H-28500	MB 4630		
	H-28501	461 315 019 0 MB 4636		MAX. OPERATING PRESS: 10 BAR 0,3 BAR FIXED Ports All M16x1.5
	H-28503	461 315 008 0	MERCEDES - 001 431 83 05 MERCEDES - 001 431 89 05 MERCEDES - 001 431 91 05 MERCEDES - 001 431 99 05 MERCEDES - 002 431 27 05 MERCEDES - 002 431 81 05	<b>FOOT BRAKE VALVE</b> OPERATING PRESSURE : 10 BAR NORMINAL DIAMETER : 10 PREDOMINANCE : 0.3 BAR EXHAUST PIPE PORT THREADS: 8 X M16 / 2 X M12
	H-28504	461 315 004 0	MERCEDES - 002 431 54 05 NATO - 2530 12 325 5105 NATO - 2530 23 325 5105	
	H-28505	461 315 042 0		





	H-28506	461 315 053 0		
	H-28507	461 315 012 0	BMC - 9P902810 DAF - 664865 VOLVO - 11988394	<b>FOOT BRAKE VALVE</b> OPERATING PRESSURE : 10 BAR NORMINAL DIAMETER : 10 PREDOMINANCE : 0.3 BAR EXHAUST :PLAP PORT THREADS : 8 X M16 / 2 X M12
	H-28508	461 317 024 0		PEDAL ANGLE: 45°
	H-28509	461 317 000 0	MAX. OPERATING PRESSURE: 10BAR 0.3 BAR FIXED	PEDAL ANGLE: 35°
	H-28510	461 317 002 0	NOMINAL DIAMETER: 10 4x M 16x1.5 2x M 12x1.5	PEDAL ANGLE: 30°
	H-28511	461 317 008 0		PEDAL ANGLE: 30°
	H-28512	461 317 051 0		MAX. OPERATING PRESSURE: 10BAR NOMINAL DIAMETER: 10 0.3 BAR FIXED 4x M 16x1.5 2x M 12x1.5
	H-28514	102 327 500 0		
	H-28515	461 313 050 0 MB4434		
<b>HAND BRAKE VALVE</b>				
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28521	961 723 001 0 961 723 108 0	DAF - 0371274 DIMETAL - 461 254 6 REPAIR KITS FORD - YC442A622A1A BMC :	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 8,0 BAR PORT 2 : 6,8 BAR PORT THREADS : 1,2 = M16 X 1,5 VOSS
	H-28522	961 722 252 0	DAF - 0374642 FAUN - 9770 8458682 REPAIR KITS FORD - 81DB2A622DA IVECO - 225235 STEYR - 99100 360024 NEOPLAN - 11026615440/12 MERCEDES - 001 430 02 81	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 8,0 BAR PORT 2 : 5,9 BAR TEMPERATURE RANGE : -45C°.. +80C° PORT THREADS : 1,21,22 = M14 X 1,5 CONTROL PORT TRAILER : YES



	H-28523	961 722 258 0	DAF - 152497 LIEBHERR - 5026 500 IVECO - 42021814 NEOPLAN - 112232900 TEREX-DEMAG - 490 919 40	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 10 BAR PORT 2 : 5,9 BAR TEMPERATURE RANGE : -45C°.. +80C° PORT THREADS : 1,21,22 = M14 X 1,5 CONTROL PORT TRAILER : YES
	H-28525	961 723 009 0	DAF - 1518230 MERCEDES - 002 430 89	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 8,0 BAR PORT 2 : 5,5 BAR PORT THREADS : 1,2 = M16 X 1,5 VOSS COMMENTS : WITH ELECTRICAL SWITCH
	H-28524	961 723 005 0	DAF - 1518229	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 8,0 BAR PORT 2 : 5,5 BAR PORT THREADS : 1,2 = M16 X 1,5 VOSS
	H-28526	961 723 104 0	DAF - 1518235 MERCEDES - 002 430 75 81	<b>HAND BRAKE VALVE</b> EL FREN VALFÍ OPERATING PRESSURE : 8,0 BAR PORT 2 : 5,5 BAR PORT THREADS : 1,21,22 = M16 X 1,5 VOSS CONTROL PORT TRAILER : YES
	H-28527	HB 1176	FAUN - 1617 211 MAN - 81 52315 6077	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 10 BAR PORT 2 : 8,0 BAR PORT THREADS : 1,2 = M14 X 1,5
	H-28528 H-28529	HB 1258 HB 1350	VOLVO - 6792775 MAN - 81 52315 6074	<b>HAND BRAKE VALVE</b> OPERATING PRESSURE : 10 BAR PORT 2 : 8,0 BAR PORT THREADS : 1,2 = M14 X 1,5
	H-28530	961 722 151 0		<b>HAND BRAKE VALVE</b> MAX. OPERATING PRESSURE: 10BAR P2 MAX.: 5.9 BAR M 14x1.5
	H-28531	961 722 150 0		<b>HAND BRAKE VALVE</b> WITH GAITER MAX. OPERATING PRESSURE: 10 BAR P2 MAX.: 5.9 BAR M 14x1.5
	H-28532	961 722 212 0		<b>HAND BRAKE VALVE</b> MAX. OPERATING PRESSURE: 10 BAR
	H-28533	961 722 232 0		PORT THREADS: VOSS BLOCK P2 MAX.: 5.9 BAR
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>



	H-28535	961 701 100 0	DAF, IKARUS, IVECO	<b>HAND BRAKE VALVE</b> MAX. OPERATING PRESSURE: 8 BAR P2 MAX.: 8 BAR PARKING POSITION: 84° M 14x1.5
	H-28536	961 701 105 0	BENZ	
	H-28544	463 032 020 0	DAF - 1291360 MAN - 81 43619 6004 IVECO - 42089956 KÖGEL/SCHMITZ/TIRSAN VOLVO - 6773736 MERCEDES - 000 327 51 25 RENAULT-VI - 5001871034	<b>ROTARY SLIDE VALVE</b> OPERATING PRESSURE : 10 BAR TEMPERATURE RANGE :-45C°...+80C° PORT THREADS : 1 = M16X1,5

**FOUR CIRCUIT PROTECTION VALVE**

	ALPAR #	REF	OEM REF	DESCRIPTION
	H-28451	AE-4162	MAN - 81 52151 5056 STYER - 79100360051 MERCEDES - 001 431 04 06	OPERATING PRESSURE : 10 BAR TEMPRETURE RANGE : -40C°..+100C° PORT THREAD OPEN.PRE CLS.PRES. 11,12 M16X1.5 7,0 BAR 4,5 BAR 21,22,23,24 M16X1.5 7,0 BAR 4,5 BAR
	H-28452	AE-4170 934 702 391 0		MAX PRESSURE : 1 MPA TEMP : -40C~80C PORT THREAD OPEN.PRE CLS.PRES. 11 M16X1.5 7,0 BAR 4,5 BAR 21,22,23,24 M16X1.5 7,0 BAR 4,5 BAR
	H-28457	AE-4158	MAN - 81 52151 6005 IVECO - 04205 1732 NEOPLAN - 110251300 MERCEDES :001 431 20 06 RENAULT-VI - 5000121755	OPERATING PRESSURE : 10 BAR TEMPRETURE RANGE : -40C°..+100C° PORT THREAD OPEN.PRE CLS.PRES. 21,22,23,24 M16X1.5 7,0 BAR 4,5 BAR
	H-28453	934 702 210 0	DAF - 1518178 MAN - 81521516020 MAN - 81521516028 STEYR - 79100 360053	<b>FOUR CIRCUIT PROTECTION VALVE</b> OPERATING PRESSURE : 10 BAR PORT THREAD OPEN.PRE CLS.PRES. 21 M16X1.5 7,0 BAR >=5,0 BAR 22 M16X1.5 7,0 BAR >=5,0 BAR 23 M16X1.5 7,0 BAR >=5,0 BAR 24 M16X1.5 7,0 BAR >=5,0 BAR
	H-28454	934 702 250 0		<b>FOUR CIRCUIT PROTECTION VALVE</b> PORT 1 M22X1.5 ALL M16X1.5
	H-28455	934 702 300 0	MAN - 81 52151 6007 STEYR - 79100 360061 IVECO - 04462569 LIEBHERR - 5029 65690 NEOPLAN - 110251600 MERCEDES - 001 431 30 06	<b>FOUR CIRCUIT PROTECTION VALVE</b> OPERATING PRESSURE : 20 BAR TEMPRETURE RANGE : -40C°..+100C° PORT THREAD OPEN.PRE CLS.PRES. 21,22,23,24 M16X1.5 7,0 BAR >=5,0 BAR
	H-28456	934 702 002 0	FATHere DAF - 0620492 IVECO - 09987141 RENAULT-VI - 5516015937	<b>FOUR CIRCUIT PROTECTION VALVE</b> OPERATING PRESSURE : 20 BAR TEMPRETURE RANGE : -40C°..+100C° PORT THREAD OPEN.PRE CLS.PRES. 21, 22 M16X1.5 6,3 BAR >=5,5 BAR 23 M16X1.5 >= 6,0 BAR >=4,2 BAR 24 M16X1.5 >= 6,0 BAR >=5.8 BAR



	H-28468 H-28469 H-28470	AE-4605 AE-4613 AE-4621	IVECO - 5006143813 RENAULT-VI - 5010422971	<b>FOUR CIRCUIT PROTECTION VALVE</b> OPERATING PRESSURE : 10 BAR TEMPRETURE RANGE : -40C°..+100C° PORT THREAD OPEN.PRE CLS.PRES. 21,22,23,24 M16 X 1.5 7,0 BAR 4,5 BAR
	H-28459	934 713 004 0		<b>FOUR CIRCUIT PROTECTION VALVE</b>
	H-28460	934 714 010 0	81 52151 6073	<b>FOUR CIRCUIT PROTECTION VALVE</b>
	H-28461	AE 4440 3515 012 001 0		
	<b>ALPAR#</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28465	934 705 002 0	ACTROS 1843L	<b>6 circuit protection valve</b>
	H-28465-3			MAP SENSOR
	H-28466	AE4510 AE4528		
<b>TRAILER CONTROL VALVE</b>				
	<b>ALPAR#</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28401	973 002 402 0	DAF - 0631119 MAN - 81 52301 6031 STEYR - 79100 360085 SCANIA .Ç 293139 IVECO - 42070559 VOLVO - 1577560 MERCEDES - 001 431 28 05	OPERATING PRESSURE : 8,0 BAR PREDOMINANCE : 0, BAR ADJUSTABLE TEMPERATURE RANGE : -45C°..+80C° PORT THREADS : 1,2,41,42,43 = M16 X 1,5
	H-28402	973 002 520 0	DAF - 1518263 FAUN - 9970 8458683 STEYR - 99100 36069 IVECO - 42000822 RENAULT-VI - 5430037990 MERCEDES - 002 431 48 05 TEREX-DEMAG - 324 094 40	OPERATING PRESSURE : 8,0 BAR PREDOMINANCE : 0, BAR <b>ADJUSTABLE</b> TEMPERATURE RANGE : -45C°..+80C° PORT THREADS : 11,12,22,41,42,43 = M16 X 1,5



	H-28403	973 009 300 0	DAF - 1259855 MAN - 82 52301 6015 FAUN - 7005 416 EVO-BUS - 82 52301 6015 RENAULT-VI - 5021170462	OPERATING PRESSURE : 10 BAR PREDOMINANCE : 0,2 BAR ADJUSTABLE TEMPERATURE: -45C°..+80C° PORT THREADS : 43 =M16 X 1,5VOSS 11,12,22,41,42,
	H-28404	973 009 010 0	DAF - 1504970 VOLVO - 20424432 SCANIA - 1350096	OPERATING PRESSURE : 10,0 BAR PREDOMINANCE : 0,4 BAR ADJUSTABLE TEMPERATURE: -45C°..+80C° PORT THREADS : 43 =M16 X 1,5VOSS 11,12,22,41,42
<b>RELAY VALVE</b>				
	<b>ALPAR#</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28405	KN 26000		CLOSING PRESSURE = 70 PSI 3/8" & 1/2" PORTS
	H-28406	KN 26010		CLOSING PRESSURE = 70 PSI 3/8" & 1/2" PORTS
	H-28407	GR201002001 FLK15001010		<b>TRAILER CONTROL VALVE</b> Delivery M14x1.5 Tank M30x1.5 Tank M16x1.5
	H-28408	971 002 000 0	DAF - 0830550 BPW - 0243107700 MAN - 82 58000 0060 KÖGEL - 79 310 KRONE - 58106060 DIMETAL - 461 192 5 SCHMITZ - 050005 NEOPLAN - 07110000	<b>Relay Emergency VALVE</b> OPERATING PRESSURE : 10 BAR PORT 2 : 0 TO 1 BAR TEMPERATURE RANGE : -45C°.. +80C° PORT THREADS : 1,2,1-2,4 = M22 X 1,5
	H-28409	971 002 150 0		
	H-28410	971 002 152 0	MAN - 1325335 KÖGEL - 76275 KRONE - 945017 NEOPLAN - 07110000 SCHMITZ - 050024 FRUEHAUF - AJC0070001	<b>RELAY EMERGENCY VALVE</b> OPERATING PRESSURE : 10 BAR PREDOMINANCE : 0 TO 1 BAR PORT THEADS : 1,2,4 = M16 X 1,5 1,2 = M22 X 1,5
	H-28411	971 002 900 0		
	H-28412	0 481 026 026		
	H-28413	355 094 001		



	<b>H-28414</b> <b>H-28415</b>	0481026303 973 006 003 0 973 006 004 0 No/silencer	MAN TGA	<b>Relay Valve</b>
	<b>H-28418</b>	463 084 031 0		<b>LIFT AXLE VALVE</b>
	<b>H-28420</b>	90054007	SCANIA	Cabin Leveling Valve
	<b>H-28421</b>	KN27000 S9978		<b>ECAS VALVE</b> ALL PORTS 1/4" NPT
	H-28422 H-28423 H-28424 H-28425 H-28426	441 050 008 0 441 050 010 0 441 050 011 0 441 050 012 0 441 050 013 0	MERCEDES MAZ / RENAULT MAN MERCEDES ACTROS IVECO	<b>ECAS VALVE</b>
	H-28427 H-28428 H-28429 H-28430	441 050 100 0 441 050 101 0 441 050 120 0 441 050 121 0	DAF w/LEVER IVECO STRALIS w/LEVER	<b>ECAS VALVE</b>
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	<b>H-28431</b>	464 006 100 0	DAF - 1325336 BPW - 0243113500 REPAIR KITS FORD - XCT 2K432AA SCHMITZ - 050637 DIMETAL - 461 501 9 EVO-BUS - 8285499000	<b>LEVELLING VALVE</b> <b>W/ Height Limit</b> OPERATING PRESSURE : 13 BAR LEVER :WITH TEMPERATURE RANGE : -45C°..+80C° PORT THREADS : 3X M12 X 1,5 2X M16 X 1,5









	H-28432	464 002 330 0		<b>LEVELLING VALVE</b> M12x1,5
	H-28433	464 006 002 0	DAF - 1325337 MAN - 81 43610 6116 BPW - 0243109200 KÖGEL - 312 470 EVO-BUS - 82836370000 SCANIA - 339792	<b>LEVELLING VALVE</b> OPERATING PRESSURE : 13 BAR LEVER :WITH
	H-28434	SV 1307	STEYR - 52717600500	<b>LEVELLING VALVE</b> OPERATING PRESSURE : 10 BAR LEVER :WITH REPAIR KITS FOR LEVER : 6 MM PORT THREADS : 3X M12 X 1,5
	H-28435	SV 1294	MAN - 81 43610 6054 VOLVO - 1587153 SCANIA - 405674	<b>LEVELLING VALVE</b> OPERATING PRESSURE : 10 BAR LEVER :WITHOUT REPAIR KITS FOR LEVER : 16 MM PORT THREADS : 3X M12 X 1,5
	H-28436	SV1310	EVOBUS - 8285011000	<b>LEVELLING VALVE</b> OPERATING PRESSURE : 13 BAR LEVER :WITHOUT REPAIR KITS FOR LEVER : 16 MM PORT THREADS : 3X M12 X 1,5
	H-28437	SV1280	DAF - 0677965 RENAULT-VI - 5000787083 MERCEDES - 000 328 32 30	<b>LEVELLING VALVE</b> OPERATING PRESSURE : 10 BAR LEVER :WITHOUT REPAIR KITS FOR LEVER : 16 MM TEMPERATURE RANGE : -45C°.. +80C° PORT THREADS : 3X M12 X 1,5 2X M16 X 1,5
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28438	464 007 010 0		<b>CABIN LEVELLING VALVE</b> OVER STROKE: 70 STROKE OF LEVER: ±8°30' M10x1
	H-28439	464 007 001 0	DAF - 0759050 IVECO - 0818 8642 KÖGEL - 332419 RENAULT-VI - 5010136105 MAN - 81 43610 6129	<b>CABIN LEVELLING VALVE</b> OPERATING PRESSURE : 10 BAR STROKE OF LEVER : 30' FOVER STROKE : 70 MM TEMPERATURE RANGE : -45C°.. 80C° PORT THREADS : 1,2 =Ø 6
	H-28440	464 007 011 0	MERCEDESS - 000 328 45 30	<b>CABIN LEVELLING VALVE</b> OPERATING PRESSURE : 10 BAR STROKE OF LEVER : 30' FOVER STROKE : 70 MM TEMPERATURE RANGE : -45C°.. 80C° PORT THREADS : 1,2 = M10 X 1
<b>LOAD SENSING EMERGENCY RELAY VALVE</b>				
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>



	H-28441	475 715 500 0 RL3523BB	DAF - 1506232 SCHMITZ - 8283011000 FRUEHAUF - CF352132	<b>LOAD SENSING VALVE</b> REGULATING RATIO: 1:8 BRAKE PRESSURE: 10 BAR(MAX) CONTROL PRESSURE: 12 BAR(MAX) BREAK POINT: 0.5 BAR RESPONSE PRESSURE: 0.5 BAR
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28442 H-28443 H-28444 H-28445	475 711 108 0 475 711 012 0 475 711 024 0 475 711 075 0		<b>LOAD SENSING VALVE</b> TO P1 : 13 BAR TO P4 : 10 BAR PORT THREADS : 1 = M22X 1,5 2,43 = M16X 1,5 41,42= M12X1,5
	H-28446	475 714 500 0	BPW - 0203320900 DAF - 1325325 IVECO - 3300868 KÖGEL - 351000 KRONE - 9945013 FRUEHAUF - CF351826 SCHMITZ - 8285274000	<b>LOAD SENSING VALVE</b> OPERATING PRESSURE : 10 BAR TEMPERATURE RANGE : -45C°. +80C° PORT THREADS : 2 X M12 X 1.5 2 X M16 X 1,5 1 X M22 X 1,5
	H-28447	475 712 000 0 475 712 005 0	DAF - 1325324 DIMETAL - 461 219 9 RENAULT-VI - 500003984	<b>LOAD SENSING VALVE</b> OPERATING PRESSURE : 14 BAR ADJUSTMENT AT P1 : 10 BAR ADJUSTED AT : 4,0 BAR TEMPERATURE RANGE : -45C°. 80C° PORTS: 3 X M16 2 X M22
	H-28448	475 712 004 0	DAF - 1518127	<b>LOAD SENSING VALVE</b> OPERATING PRESSURE : 14 BAR ADJUSTMENT AT P1 : 10 BAR ADJUSTED AT : 4,0 BAR TEMPERATURE RANGE : -45C°. +80C° PORTS 3 X M16 2 X M22
	H-28449	475 710 020 0	DAF - 5158121 MERCEDES - 001 431 33 12	<b>LOAD SENSING VALVE</b> TO P1 : 13 BAR TO P4 : 10 BAR CONTROL STROKE : 30' OVER: 65' REFERANCE ANGLE : 15' PORT THREADS : 1,2=M16 4=M16
	H-28450	475 710 022 0	DAF - 0643260	<b>LOAD SENSING VALVE</b> TO P1 : 10 BAR TO P4 : 10 BAR CONTROL STROKE : 30' OVER 65' REFERANCE ANGLE : 15' PORT THREADS : 1 = M22 2,4= M16
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28200	KN18530 275491 975 303 464 0	GOVERNOR D-2	<b>GOVERNOR VALVE</b> ALL 1/8"
	H-28201	973 500 000 0	DAF - 711 960 BMC - 9P910504 MAN - 81 521 12 6009 FAUN - 1614107 IVECO - 02461835 STEYR - 99000 350057 VOLVO - 1505 043 IKARUS - 1614 211 MERCEDES - 000 429 06 44	<b>QUICK RELEASE VALVE</b> OPERATING PRESSURE : 12BAR TEMPERATURE RANGE : - 40C°. +100C° PORTTHREADS : 1,2,3 =M22 X 1.5



	H-28202	973 500 006 0	MAN - 81 521 15 6012 IVECO - 6150 0291 RENAULT-VI - 5000122053	OPERATING PRESSURE : 10BAR PORTTHREADS : 1,2,3 = M16 X 1.5
	H-28203	973 500 028 0	DAF 1505154 MERCEDES 004 429 23 44	OPERATING PRESSURE : 12BAR PORTTHREADS : 1,21,22,23 = M22X 1.5 VOSS
	H-28205	KN32005 / 229859 973 500 003 0		<b>QUICK RELEASE VALVE QR-1</b>  1PSI
	H-28206	KN32011 / 229860 973 500 014 0		<b>QUICK RELEASE VALVE QR-1</b>  1PSI
	H-28207	KN32041 / 289714 973 500 011 0		<b>QUICK RELEASE VALVE QR-1C</b>  1PSI
	H-28214	975 001 000 0	DAF - 0720000 MAN - 81 52120 6021 IVECO - 0247 2250 VOLVO - 352097 KÖGEL - 77 330 DIMETAL - 460 110 2 NEOPLAN - 07127 000 RENAULT-VI - 7701015884 MERCEDES - 000 430 49 81	<b>ADAPTOR VALVE</b> OPERATING PRESSURE : 8 BAR PRE-SET VALUE : 0.7 BAR TEMPERATURE RANGE : - 40C°..+100C° PORT THREADS : 1,2 = M22 X 1.5
<b>ALPAR #                      REF                      OEM REF                      DESCRIPTION</b>				
	H-28205	0 481 009 022 A-4740	MAN - 81 52101 6150 MERCEDES - 001 431 57 06	<b>PRESSURE LIMITING VALVE</b> OPERATING PRESSURE : 10 BAR TO P1 : 8,0 BAR DELIVERED PRESSURE : 7,3 BAR TEMPRETURE RANGE : -40C° ..+80C° PORT THREADS : M16X1.5
	H-28233	0 481 009 026 RL 3531GA		<b>PORTS: 1+2=M22*1.5</b>
	H-28234	0 481 009 017 RL 3531GB		<b>PORTS: 1+2=M16*1.5</b>
	H-28206	432 500 020 0	DAF - 1238508 MAN - 81 51270 6001 VOLVO - 1691031 IVECO - 42106582 SCANIA - 20086200 NEOPLAN - 110250100 MERCEDES - 000 429 17 95	<b>LINE FILTER</b> OPERATING PRESSURE : 20 BAR TEMPERATURE RANGE : -45C° ... +80C° PORT THREADS : 1,2 =M 22 X1,5
	H-28207	475 015 031 0		<b>PRESSURE LIMITING VALVE</b>
	H-28208	434 100 125 0 434 100 025 0 434 100 221 0	DAF - 0633792 MAN - 81 52110 6045 IVECO - 42032387 NEOPLAN - 110248000 SCANIA - 20062530 VOLVO - 11344344 MERCEDES - 000 429 75 44	<b>CHARGING VALVE</b> OPRERATING PRESSURE : 10 BAR CHARGING PRESSURE : 6.0 BAR TEMPERATURE RANGE : - 40C° ..+100C° BACK FLOW :WITHOUT PORT THREADS :M22X1.5



	H-28209	434 014 001 0		SINGLE CHECK VALVE
	H-28210	434 208 000 0		DOUBLE CHECK VALVE
	H-28211	475 010 300 0	MERCEDES MAN	PRESSURE LIMITING VALVE
	H-28212	475 010 400 0 3512MA	DAF	PRESSURE LIMITING VALVE
	H-28213	463 036 000 0 463 036 008 0	9841 3419 5000806404	3/2 Directional Control Valve M22x1.5
	<b>ALPAR #</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>
	H-28215	475 604 010 0	DAF - 0719701 MAN - 81 52161 6174 IVECO - 0127 1399 VAN HOOL - 637203620 EVO-BUS - 8283601000 FRUEHAUF - CF3501917	<b>EMPTY LOAD VALVE</b> OPERATING PRESSURE : 10 BAR RANGE OF ADJUST. EMPTY : 0,8...2,2 BAR RANGE OF ADJUST.1/2 LADEN : 3,4...4,3 BAR PORT THREADS : M22 X 1,5
	H-28216	452 002 107 0		<b>SHUT OFF COCK</b>
	H-28217	475 010 001 0 475 010 025 0	DAF - 0106703 MAN - 81 52101 6058 IVECO - 61595603 KÖGEL - 77 332 STEYR - 99100 360065 SCANIA - 318158 MERCEDES - 001 429 90 44 IKARUS - 1614 147 RENAULT-VI - 50	<b>PRESSURE LIMITING VALVE</b> OPERATING PRESSURE : 20 BAR TO P1 : 7.5 BAR DELIVERED PRESSURE : 5.3 BAR PORT THREADS : M22X1.5
	H-28218	463 013 116 0	DAF - 0639394 MAN - 81 15610 6004 IVECO - 0256 4591 SCANIA - 0340178 NEOPLAN - 11017347 DIMETAL - 460 519 3 MERCEDES - 000 434 05 01 RENAULT-VI - 5000786419	<b>THREE WAY VALVE</b> OPERATING PRESSURE : 10 BAR HANDLE LENGTH : 46,9 MM STROK : 5,7 MM TEMPERATURE RANGE : -40C° ... +80C° PORT THREADS : 1,2,3 = M12 X 1,5
	H-28219	463 022 020 0 3548MA		<b>PORTS: 1+2=M10*1</b>









	H-28220	3548AF		<b>PORTS: 1+2+3=M12*1.5</b>
	H-28225	934 300 001 0	DAF -201107 SCANIA -285903 VOLVO -1581425 IVECO -0252 0243 NEOPLAN -110 267 300 MERCEDES -000 432 06 07	<b>DRAIN VALVE</b> OPERATING PRESSURE : 20BAR PORT THREADS :M22 X 1,5
	H-28226	934 300 002 0	IVECO -6157 3633 EVOBUS -8.283.223.000 RENAULT-VI -5000021082 MERCEDES -000 432 06 07	<b>DRAIN VALVE</b> OPERATING PRESSURE :20BAR PORT THREADS :G 1/2"
	H-28227	EE4106 Automatic Drain Valve		
	H-28228	434 300 000 0 Automatic Drain Valve	LEYLAND-DAF -112039 DOLDHOEFER -110267200 RENAULT-VI -5000565961 MERCEDES -000 429 54 44	<b>AUTOMATIC DRAIN VALVE</b> OPERATING PRESSURE :10BAR CONTROL PRESSURE :4BAR TEMPERATURE RANGE:-40C ~ +80C PORT THREADS :1,4=M22 X 1,5
	H-28231	169297 1705 054 001 0	1068951	SUPPLY 1:1/8" PT
	H-28232	1705 053 002 0		PORTS: 1=M12*1.5 2=M14*1.5
	H-28241	1705DA		<b>DIRECTIONAL CONTROL VALVE</b> CONTROL PRESSURE : Min 2 Max 10 TEMPERATURE RANGE:-25C ~ +80C PORT THREADS : M10
	H-28242	571 003 104 0		<b>DIRECTIONAL CONTROL VALVE</b> CONTROL PRESSURE : Min 2 Max 10 TEMPERATURE RANGE:-25C ~ +80C PORT THREADS : M10
	H-28243	571 040 000 0		WORKING PRESSURE MAX :10BAR CONTROL PRESSURE : 3BAR TEMPERATURE RANGE:-25C ~ +80C PORT THREADS : M14
	H-28245 H-28246 H-28247	472 072 639 0 472 172 600 0 472 173 700 0	BENZ TRAILER BMC	3/2Magnet Valve Max Pressure: 10 Bar TEMPERATURE RANGE:-40C ~ +100C Ports M 12x1,5 24V

**AMERICAN VALVES**

ALPAR#	REF	OEM REF	DESCRIPTION
<b>CLUTCH SERVO</b>			
ALPAR#	REF	OEM REF	DESCRIPTION



	H-28601	VG3200		
	H-28601-2	VG3200-2		REPAIR KITS FOR H-28601
	H-28602	970 051 131 0	DAF - 1518247 DIMETAL - 461 404 0 VAN HOOL - 637208670 EVO-BUS - 8383231000 MERCEDES - 001 295 67 07	<b>CLUTCH SERVO UNIT</b> OPERATING PRESSURE :10 BAR STROKE : 72 MM PUSH-ROD : 700N ENERGY SUPPLY : M16 X 1,5 OIL INLET : M16 X 1,5
	H-28602-2	970 051 131 2		REPAIR KITS FOR H-28602
	H-28603	VG 3361	MERCEDES	<b>CLUTCH SERVO</b>
	H-28603-2	KSK.28.3C		REPAIR KITS FOR H-28603
	H-28605 H-28606	970 051 423 0 970 051 413 0		<b>CLUTCH SERVO</b> MAX. OPERATING PRESSURE: 10 BAR STROKE: 85 DIA 102 PUSH-ROD REPAIR KITS FORCE: 6000 N M22X1.5 M14X1.5
	H-28607 H-28608	970 051 405 0 970 051 431 0		
	H-28606-2	970 051 413 2		REPAIR KITS FOR H-28606
	<b>ALPAR#</b>	<b>REF</b>	<b>OEM REF</b>	<b>DESCRIPTION</b>



	H-28604	622785AM		<b>CLUTCH SERVO</b>
	H-28609	970 051 107 0	MERCEDES BMC SCANIA	
	H-28609-2	970 051 107 2		REPAIR KITS FOR H-28609
	H-28610	970 051 407 0	MAN	
	H-28610-2	970 051 407 2		REPAIR KITS FOR H-28610
	H-28611	970 051 111 0	MERCEDES BMC DAF	
	H-28611-2	970 051 111 2		REPAIR KITS FOR H-28611
	H-28612	971 051 158 0	MERCEDES 403	<b>CLUTCH SERVO</b>
	H-28612-2	971 051 158 2		Repair Kit for H-28612


**AMERICAN VALVES**

ALPAR#	REF	OEM REF	DESCRIPTION
--------	-----	---------	-------------



	RL3599B A 变型	<b>V065437</b>	<b>170.065437</b>	<b>SR5 SPRING BRAKE</b>
	RL3599B B 变型	<b>V065439</b>	<b>170.065439</b>	<b>SR5 SPRING BRAKE</b>
	RL3599C A	<b>V101112</b>	<b>170.101112</b>	<b>SR4 SPRING BRAKE</b>
	RL3599C B	<b>V201622</b>	<b>170.201622</b>	<b>SR4 SPRING BRAKE</b>
	RL3518JC	<b>V102626</b>	<b>170.102626</b>	<b>R12V TYPE</b>
	RL3599A A 变型	<b>V102761</b>	<b>170.102761</b>	<b>SR2</b>
	RL3518H C-B	<b>V103009</b>	<b>170.103009</b>	<b>R12H RELAY</b>
	RL3518J H-A	<b>V103010</b>	<b>170.103010</b>	<b>R14H RELAY</b>
	RL3518JB -A	<b>V103028</b>	<b>170.103028</b>	<b>R14V RELAY</b>
	RL3599A B	<b>V103061</b>	<b>170.103061</b>	<b>SR2 SPRING BRAKE</b>
	RL3512G L 变型	<b>V275491</b>	<b>170.275491</b>	<b>D2 GOVERNOR</b>
	RL3548F D	<b>V276566</b>	<b>170.276566</b>	<b>PP1 CONTROL TYPE</b>



	RL3548F D-A	<b>V276567</b>	<b>170.276567</b>	<b>PP1 CONTROL TYPE</b>
	H-28321 RL3518E D	<b>V279180</b>	<b>170.27918</b>	<b>R-6 RELAY</b>
	H-28400	<b>V281865</b> RL3527AD	<b>170.281865</b>	<b>RE-6 RELAY ER.</b>
	RL3514G D	<b>V286171</b>	<b>170.286171</b>	<b>E6 TYPE</b>
	RL3599A A	<b>V287376</b>	<b>170.287376</b>	<b>SR2 SPRING BRAKE</b>
	RL3518W C 变型	<b>V288239</b>	<b>170.288239</b>	<b>PP7 CONTROL</b>
	RL3548W C	<b>V288241</b>	<b>170.288241</b>	<b>PP7 CONTROL</b>
	RL3518G B	<b>VKN28500</b>	<b>170.KN28500</b>	<b>RG2 RELAY TYPE</b>
	RL3518G G	<b>VKN28510</b>	<b>170.KN28510</b>	<b>RG2 RELAY TYPE</b>
	RL3518G H	<b>VKN28520</b>	<b>170.KN28520</b>	<b>RG2 RELAY TYPE</b>
	RL3599B B 变型	<b>V065439</b>	<b>170.065439</b>	



	RLD5-Z087	<b>V228600</b>	<b>170.228600</b>	<b>SL4 STOP LIGHT SWITCH</b>
	RL3516BE (sample available)	<b>V229859</b>	<b>170.229859</b>	<b>3/8" QUICK RELEASE</b>
	RL3516BF (sample available)	<b>V229860</b>	<b>170.229860</b>	<b>1/2 QUICK RELEASE</b>
	RL3514P A	<b>V277863</b>	<b>170.277863</b>	<b>E3 SINGLE FOOT VALVE</b>
	RL3548S A 变型	<b>800522</b>	<b>170.065208</b>	<b>MV3 CONTROL MODULE 1/4"</b>
	RL3513Z A 变型	<b>12105</b>	<b>170.12105</b>	<b>MANUAL DRAIN VALVE</b>
	repeat	<b>229685</b>	<b>170.229685</b>	<b>TWI CONTROL VALVE</b>
	RL3531H A	<b>286500</b>	<b>170.286500</b>	<b>PR4 PRESSURE PROTECTION</b>
	RL3525Z A		<b>170.KN23000</b>	<b>SC3 SINGLE CHECK VALVE</b>
	RL3513L A 变型		<b>170.KN24000</b>	<b>DV2 AUTOMOTIC DRAIN VALVE</b>
	RL3518L E-A		<b>170.KN30400</b>	<b>EMERGENCY RELAY VALVE</b>
	RL2908E B		<b>90054007</b>	



	RLD5-Z050	228750		LP3
	sample available	V227870	1700.22787	SINGLE CHECK
	sample available	V227871	170.227871	SC1 SINGLE CHECK
	need sample	V101818	170.101818	E7 TYPE
	need sample	V284760	170.284760	E7 TYPE
	sample available	V229685	170.229685	TWI CONTROL VALVE
	sample available		170.229635	
	need sample		170.284142	ST3- 48 PCS
	need sample	286370	170.286370	RE RELAY VALVE
	sample available	281459	170.281459	TR3 INVERSE VALVE
	need sample	283590	170.283590	RV1 PRESSURE REDUCING













